

RX Date: _____ Appointment Date: _____
 Case#: _____
 Patient: _____
 Client Lab/Dr Name _____
 Contact: _____

WORLDWIDE DENTAL TECHNOLOGIES

www.wdtlab.com

ALL CERAMICS

- | | |
|--|--------------------------------|
| ☐ PFZ | Zirconia Crown Layered |
| ☐ FULL ZIRC | Zirconia Crown Full Contour |
| ☐ ZIRP | Zirconia Coping |
| ☐ EST ZIRC | Esthetic Zirconia |
| ☐ MLESS FULL ZIRC | Modeless Full Contour Zirconia |
| ☐ IPSC | IPS e.Max/Empress Crown |
| ☐ IPSV | IPS e.Max Veneer |
| ☐ IPSIO | IPS e.Max Inlay /Onlay/Post |

PORCELAIN FUSED TO METAL (PFM)

- | | |
|--|----------------------------------|
| ☐ PFM-NP | PFM Non-precious Crown (Be Free) |
| ☐ PFM-CoCr | PFM Non-precious Crown (Co-Cr) |
| ☐ PFM-SP | PFM Semi-precious Crown |
| ☐ PFM-WG | PFM High Noble White Gold |
| ☐ PFM-YG | PFM Yellow Gold ____ % |
| ☐ PFM-COMPOSITE | PFM Composite Crown |

FULL METAL CAST CROWNS/COPINGS

- | | |
|-----------------------------------|---|
| ☐ FMC-NP | Full Metal Crown Non-precious (Be Free) |
| ☐ FMC-CoCr | Full Metal Crown (Co-Cr) |
| ☐ FMC-SP | Full Metal Crown Semi-precious |
| ☐ FMC-YG | Full Metal Crown Argenco ____ % YG |
| ☐ FMC-WG | Full Metal Crown High Noble White Gold |
| ☐ COP | Copings |


IMPLANTS

- | | |
|---|--|
| ☐ IMP | _____ Implant System Name |
| ☐ CAD/CAM ABUTMENT | Implants _____ Titanium _____ Zirconia |
| ☐ CAST ABUTMENT | _____ Casting Tube Needed |
| ☐ IMPLANT PARTS | _____ Transfer _____ Analog _____ Abutment |

OTHER SERVICES

- | | |
|-----------------------------------|---------------------------|
| ☐ 3D MODEL | 3D Printed Models |
| ☐ ATT | Attachments |
| ☐ PNC | Post and Core |
| ☐ PB | Porcelain Buildup |
| ☐ PM | Porcelain Margin |
| ☐ SC | Shade Change |
| ☐ RC | Reduction Coping |
| ☐ MARYLAND | Maryland Bridge Wing |
| ☐ GUMP | Gum Porcelain |
| ☐ TEMP | Temporary Crown or Bridge |
| ☐ DW | Diagnostic Waxup Teeth |

CERAMIC SHAPE INSTRUCTIONS



Shade Info _____

Rx

REDO ☐

CONTACTS



Normal



Heavy & Broad



Point

PONTIC DESIGN



Ridge Lap



No Contact



Point



Modified Ridge

DESIGN OPTIONS



Metal Lingual



____ ° Metal Collar



Full Porcelain Coverage

METAL OCCLUSAL



Excluding Buccal




Including Buccal Cusp

IF NOT ENOUGH CLEARANCE

- | | |
|------------------|--------------------------|
| Metal Occlusal | ☐ |
| Reduction Coping | ☐ |
| Adjust Opposing | ☐ |
| Call Dr | ☐ |

TOOTH NUMBER(S)



TOOTH NUMBER _____ TO _____ SINGLE CROWN(S)	TOOTH NUMBER _____ TO _____ BRIDGE
TOOTH NUMBER _____ TO _____ SINGLE CROWN(S)	TOOTH NUMBER _____ TO _____ BRIDGE
TOOTH NUMBER _____ TO _____ SINGLE CROWN(S)	TOOTH NUMBER _____ TO _____ BRIDGE

RX Date: _____ Appointment Date: _____
Case#: _____
Patient: _____
Client Lab/Dr Name: _____
Contact: _____

WORLDWIDE DENTAL TECHNOLOGIES

www.wdtlab.com

REMOVABLES

- | | |
|--------------------------------|--|
| ☐ CPSF | Cast Partial Setup Acrylic Finish With Teeth |
| ☐ FWO | Cast Partial Framework Only |
| ☐ CPSW | Cast Partial Setup With Teeth |
| ☐ APD | Acrylic Partial Setup Finish With Teeth |
| ☐ PWT | Partial Setup With Teeth |
| ☐ VALPA | Valplast Partial Setup Finish With Teeth |
| ☐ FDSF | Full Denture Setup Finish With Teeth |
| ☐ FDSW | Full Denture Setup With Teeth |
| ☐ FDFO | Full Denture Acrylic Finish Only |
| ☐ VAFO | Valplast Finish Only |
| ☐ AF | Acrylic Finish Only |
| ☐ NGS | Soft Night Guard |
| ☐ NGH | Hard Night Guard |
| ☐ NGSH | Inside Soft, Outside Hard Night Guard |
| ☐ FLA | Flipper/Nesbit (1-3 teeth)-Acrylic Finish |
| ☐ FLV | Flipper/Nesbit (1-3 teeth)-Valplast Finish |
| ☐ RET | Retainer/Suck Down |
| ☐ WAX | Wax Rim |
| ☐ CT | Custom Tray |
| ☐ REL | Reline |
| ☐ SM | Space Maintainer |
| ☐ AT | Add Teeth |
| ☐ SG | Surgical Guide |

TOOTH SHAPE AND SHADE



OVOID



SQUARE



TAPERED


Male ☐
Female ☐

Shade Info _____

Rx

TOOTH NUMBER(S)/CASE DESIGN

REDO ☐



SETUP TEETH

Tooth Number(s) to Be Setup _____

☐ All Missing Teeth

REMOVE TEETH

Tooth Number(s) to Be Removed _____

☐ All Remaining Teeth

CLASPS

☐ Make Clasps Only

- | |
|---------------------------------------|
| ☐ Valplast |
| ☐ Wrought Wire |
| ☐ Cast Metal |
| ☐ Clear |

TISSUE/GUM COLOR

- | |
|--|
| ☐ Meharry |
| ☐ Light Meharry |
| ☐ Normal Pink |
| ☐ Clear |

Partial Case Design/Front View

